

MATERIAL SAFETY DATA SHEET

Cinnamon Classic Etch™ Decorative Concrete Acid Stain

FILE NO.: KS-1007
MSDS DATE: 1/1/2008

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Classic Etch™ Decorative Concrete Acid Stain

COLOR NAME: Cinnamon
SYNONYMS: None
PRODUCT CLASS: Hydrochloric Acid

MANUFACTURER: Kemistain
ADDRESS: P.O Box 780 Gainesville, TX 76241

EMERGENCY PHONE: 888-793-2628
CHEMTREC PHONE: 800-424-9300
OTHER CALLS: 888-793-2628

FAX PHONE: 866-332-5422

CHEMICAL NAME: Mixture
CHEMICAL FAMILY: Inorganic Salt Solution
CHEMICAL FORMULA: Mixture

PRODUCT USE: Concrete and masonry stain
PREPARED BY: Rusty Strait

Health	3
Flammability	0
Reactivity	1
Protection	H

Hazard Ratings
0= Minimal 1= Slight 2 = Moderate
3 = Serious 4 = Severe

Protection Rating
H = Splash Goggles, Gloves, Apron and Vapor

SECTION 2: COMPOSITION/INFORMATION ON INGREDIENTS

<u>INGREDIENT:</u>	<u>CAS NO.</u>	<u>% WT</u>	<u>ACDIH-TLV</u>	<u>OSHA-PEL</u>
Ferric Chloride	7705-08-0	Minor	1mg/m ³	1mg/m ³
Chromic Chloride	50925-66-1	Minor	Not Estab.	Not Estab.
Hydrochloric Acid	7647-01-0	Minor	7mg/m ³	7mg/m ³
Water	7732-18-5	Major	N/A	N/A

Major=Over 25% Minor=6-25% Trace = Under 6 % Residue = Unknown % residue possible

SECTION 3: HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW: Danger Corrosive! Causes eye and skin burns. Harmful or fatal if swallowed. Highly reactive with alkaline materials.

ROUTES OF ENTRY: Inhalation, ingestion and skin contact.

SIGNS AND SYMPTOMS OF EXPOSURE:

- EYES:** Irritation and severe damage to eyes. May cause blindness. Symptoms of exposure are burning or stinging.
- SKIN:** Exposure causes irreversible skin damage; symptoms may include redness, swelling, burns and/or skin damage.
- INGESTION:** Exposure may be harmful or fatal symptoms may include severe stomach and intestinal irritation, vomiting, nausea, diarrhea, abdominal pain and vomiting of blood. Ingesting this material may cause burns and destroy tissue in the mouth, throat and digestive tract. The injury of this tissue could result in low blood pressure and shock.
- INHALATION:** Irritation of the upper respiratory tract, coughing, sore throat, and shortness of breath.

ACUTE HEALTH HAZARDS:

- EYES:** Contact of the eyes with Hydrochloric Acid either as a gas or liquid rapidly causes severe irritation and burns of the eyes and eyelids. If the acid is not removed quickly by through irrigation with water, there may be permanent visual impairment or total loss of sight.
- SKIN:** Exposure to the concentrated vapor of anhydrous Hydrogen Chloride may result in burns or dermatitis.
- INGESTION:** When Concentrated Hydrochloric Acid is swallowed it will cause severe burns of the mucous membranes of the mouth, esophagus and stomach. The lips and mouth usually turn white and later brown. There is pain in the

MATERIAL SAFETY DATA SHEET

Cinnamon Classic Etch™ Decorative Concrete Acid Stain

FILE NO.: KS-1007
MSDS DATE: 1/1/2008

SECTION 3: HAZARDS IDENTIFICATION (continued)

Throat and stomach, individual will have difficulty in swallowing, an intense thirst, nausea, and vomiting, followed by diarrhea and in severe cases by collapse and unconsciousness.

INHALATION: Inhalation of excessive concentrations of Hydrogen chloride vapors immediately produces severe irritation of the upper respiratory tract, resulting in coughing, burning of the throat, and choking sensation. Reactions encountered in man have usually been limited to inflammation and occasionally ulceration of the nose throat and larynx. If inhaled deeply edema of the lungs may occur.

CHRONIC HEALTH HAZARDS: Dermatitis may be caused by prolonged or repeated skin exposure.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: Dermatitis, Asthma, Emphysema and Bronchitis

CARCINOGENICITY: There are no ingredient raw materials at 0.1 % or greater listed as potential carcinogens by OSHA, IARC, ACGIH or NTP

SECTION 4: FIRST AID MEASURES

EYES: FLUSH MATERIAL OUT IMMEDIATELY, AND THEN GET MEDICAL ATTENTION. Flush IMMEDIATELY with water while holding eyelids apart. It is very important to wash the material out within several seconds to achieve maximum effectiveness. GET MEDICAL ATTENTION IMMEDIATELY AFTER FLUSHING. If physician is not immediately available, flush eyes gently with water for at least 15 minutes or until you can obtain medical attention.

SKIN: Remove contaminated clothing, start flushing exposed area with water while removing the contaminated clothing and continue after clothing is removed. If skin is damaged, seek immediate medical attention. Wash soiled clothing and footwear before reuse. If symptoms persist or develop, seek medical attention.

INGESTION: Vomiting will cause further damage to the throat, do not induce vomiting. Give the individual several glasses of water or milk. If vomiting does occur, have the individual lean forward with head down to avoid breathing in vomit, rinse mouth and administer more water. IMMEDIATELY contact the local poison control center. IMMEDIATELY get the individual to the nearest Emergency facility. DO NOT give anything by mouth if the individual is losing consciousness, or is unconscious or convulsing.

INHALATION: If symptoms develop, immediately move individual away from the exposure and into fresh air. SEEK IMMEDIATE MEDICAL ATTENTION; keep individual warm, if person is not breathing, begin artificial respiration. If individual is having difficulty breathing, Administer oxygen (if available).

SECTION 5: FIRE-FIGHTING MEASURES

FLASH POINT: None

METHOD USED: None

AUTOIGNITION TEMPERATURE: Not applicable

EXTINGUISHING MEDIA: Nonflammable/Noncombustible. Use agents appropriate for surrounding fire.

SPECIAL FIRE FIGHTING PROCEDURES: Self-contained breathing apparatus (NIOSH/MSHA Pressure-demand) should be provided for fire fighters in confined spaces or buildings where this product is stored.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Due to high buildup of pressure and weakening of the container structure when exposed to extreme heat, containers may rupture. The product will give off toxic corrosive fumes of HCl at high temperatures. Will react with most metals to produce hydrogen gas which can form explosive mixtures in air.

SECTION 6: ACCIDENTAL RELEASE MEASURES

ACCIDENTAL RELEASE MEASURES: Only qualified personnel who have read the product bulletins and this MSDS should conduct the following procedures. Persons not wearing protective equipment should be excluded from the area. Cordon off area if necessary to prevent unauthorized traffic or entry. Approach the spill from upwind. Stop or control leak, promptly dike to prevent spreading and stop the spill at the source. Control the runoff and isolate discharged material for proper disposal (place in labeled waste container for neutralization and disposal). If unable to prevent release to soil or waters of the state, immediate notice to local regulatory authorities is required.

MATERIAL SAFETY DATA SHEET

Cinnamon Classic Etch™ Decorative Concrete Acid Stain

FILE NO.: KS-1007
MSDS DATE: 1/1/2008

SECTION 7: HANDLING AND STORAGE

HANDLING AND STORAGE: Follow personal protection procedures (Section 8) when handling the product. Product must be stored upright in a cool, dry, well ventilated area, in tightly closed containers away from combustible materials and sources of heat. Metal containers or equipment should not be used. Isolate from other chemicals and materials to avoid chemical incompatibility. Labels must not be removed from containers. Protect from physical damage. Re-seal partially used containers. Wash with soap and water before eating, drinking, smoking, or using toilet facilities. Observe conditions of good industrial hygiene and safe working practices.

OTHER PRECAUTIONS: Addition to water release heat which can result in violent foaming and spattering. Always add slowly and in small amounts. Always add acids to water, never add water to acids. Empty containers of this material may be hazardous. Since emptied containers retain product residues (vapors, liquids, and/or Solids), all hazard precautions given in the data sheet must be observed. Check your local codes for disposal of empty containers.

SECTION 8: EXPOSURE CONTROL/PERSONAL PROTECTION

VENTILATION/ENGINEERING CONTROLS: Provide adequate ventilation and sufficient local exhaust as necessary to maintain exposure below TWA and TLV limits.

RESPIRATORY PROTECTION: Use approved acid/gas cartridge or canister with full face piece unless break through occurs then use airline supplied or self contained breathing apparatus. Preferred respirator is the P100/Hydrogen Chloride respirator which is NIOSH TC-84A approved. For respirator protection guidelines refer to OSHA 29 CFR 1910.134.

EYE PROTECTION: Wear chemical splash goggles.

SKIN PROTECTION: Wear rubber or neoprene chemical-resistant impervious gloves.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Wear suitable protective clothing, chemical-resistant apron and footwear to avoid skin contact. Make sure emergency eyewash and washing facilities are available nearby.

WORK HYGIENIC PRACTICES: Wash with soap and water before eating, drinking, smoking, or using toilet facilities. Observe conditions of good industrial hygiene and safe working practices.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Dark liquid

ODOR: Chlorine Pungent odor

PHYSICAL STATE: Liquid

pH AS SUPPLIED: <3.0

BOILING POINT: Not determined

MELTING POINT: Not applicable

FREEZING POINT: Not applicable

VAPOR PRESSURE (mmHg): Not determined

VAPOR DENSITY (AIR = 1): Not determined

SPECIFIC GRAVITY (H₂O = 1): 1.23

EVAPORATION RATE: (BUTYL ACETATE=1) Slower

PERCENT VOLATILE (BY WT): <80

VOLATILE ORGANIC COMPOUNDS (VOC): Nil

SECTION 10: STABILITY AND REACTIVITY

STABILITY: Stable

CONDITIONS TO AVOID (STABILITY): Excessive heat

MATERIAL SAFETY DATA SHEET

Cinnamon Classic Etch™ Decorative Concrete Acid Stain

FILE NO.: KS-1007
MSDS DATE: 1/1/2008

SECTION 10: STABILITY AND REACTIVITY (continued)

INCOMPATIBILITY (MATERIAL TO AVOID): Metals, alkaline earth metals, alkali, alkalis, reducing agents, organic and oxidizable materials.

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: Hydrogen may be formed in contact with certain metals. May evolve highly toxic chloride and chlorine fumes.

HAZARDOUS POLYMERIZATION: Will not occur

SECTION 11: TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION: There are no ingredient raw materials at 0.1 % or greater listed as potential carcinogens by OSHA, IARC, ACGIH or NTP

SECTION 12: ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION: LC50 aquatic toxicity rating has not been determined. It is reasonable to assume that sufficient quantities will affect aquatic life, even though there is no toxicity data available. Precaution should be taken to prevent the release of this product into the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: Review Section 8 for information regarding correct personal protection procedures. Rinse or wash equipment in baking soda solution to neutralize pH (acidity). Even though materials have been pH neutralized it may still contain components listed in this MSDS Section 2 which are hazardous. Dispose of waste in accordance with federal, state and local regulations.

Kemistain cannot make recommendation for disposal in any specific location and the user is cautioned to be thoroughly familiar with all applicable requirements before use.

To find hazardous waste disposal companies in your local area, search the Internet using "Hazardous Waste Disposal" as the key search words.

SECTION 14: TRANSPORT INFORMATION

U.S. DEPARTMENT OF TRANSPORTATION:

PROPER SHIPPING NAME: Hydrochloric Acid Solution

HAZARD CLASS: 8 - Corrosive

ID NUMBER: UN1789

LABEL STATEMENT: Corrosive

SECTION 15: REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS:

This product contains a toxic chemical subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR 372.

OSHA Standard 19 CFR 1910.1200 requires that information be provided to employees regarding the hazards of chemicals by means of a hazard communications program which includes labeling, material safety data sheets (MSDS), training, and access to written records. It is your legal duty to make all information in this Material Safety Data sheet available to your employees.

Resource conservation and Recovery Act: Test waste material for corrosivity, D002, before disposing of.

STATE REGULATIONS:

State of California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): **Warning:** This product contains a chemical known to the State of California to cause cancer, or birth defects or other reproductive harm. For all state regulations, please check with the appropriate state agency.

INTERNATIONAL REGULATIONS: Consult the regulation of the importing country.

MATERIAL SAFETY DATA SHEET

Cinnamon Classic Etch™ Decorative Concrete Acid Stain

FILE NO.: KS-1007
MSDS DATE: 1/1/2008

SECTION 16: OTHER INFORMATION

OTHER INFORMATION: Before using this product, completely read all documentation relating to Kemistain Classic Etch™ Cinnamon Decorative Concrete Acid Stain to include the container label.

DISCLAIMER: THE INFORMATION IN THIS MSDS WAS OBTAINED FROM SOURCES WHICH WE BELIEVE ARE RELIABLE, HOWEVER THE INFORMATION IS PROVIDED WITHOUT ANY WARRANTY, EXPRESS OR IMPLIED, REGARDING ITS CORRECTNESS. THE CONDITIONS OR METHODS OF HANDLING, STORAGE, USE AND DISPOSAL OF THE PRODUCT ARE BEYOND OUR CONTROL AND MAY BE BEYOND OUR KNOWLEDGE. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE, OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THE PRODUCT.
